

UNCLASSIFIED

AD 296 574

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

63-2-4

29 6574

Office of Naval Research

Contract No. N62558 - - - 2381

Task No. NR051 - - - 417

Technical Report No.5

Reduction by Metal Carbonyls.

By David A. Brown, Miss C.M. McMullin and N.J. Gogan.

CATALOGED BY ASTIA
AS AD NO. _____

296 574





(1)

Reduction by metal carbonyl hydrides such as $\text{Fe}(\text{CO})_4\text{H}_2$ and $\text{Co}(\text{CO})_4\text{H}$ are well known. Reductions by organometallic complexes apparently involve the transient formation of metal-hydrogen bonds (1,2). We wish to report that Group 6 carbonyls can also act as reducing agents in the presence of moisture but not apparently via their unstable hydrides and hydride ions such as $\text{Cr}(\text{CO})_5\text{H}^-$ but rather through the reaction of unstable π -complexes. Thus, when a solution (10^{-1}M) of hexacarbonylchromium in isooctane which is also approximately molar with respect to water is refluxed under nitrogen with an organic oxidant, quantitative yields of the reductant are obtained. The reaction proceeds smoothly for oxidants such as tetrasubstituted cyclopentadienones with $\text{R}=\text{R}'=\text{R}''=\text{R}'''=\text{Ph}$; $\text{R}=\text{R}'=\text{Me}$, $\text{R}''=\text{R}'''=\text{Ph}$; $\text{R}=\text{R}'=\text{Et}$ and $\text{R}''=\text{R}'''=\text{Ph}$.

In addition, good yields have been obtained of hydroquinone from p-benzoquinone, benzoin from benzil (20%) and quantitative reduction of methylene blue observed. In none of these cases is reduction obtained in the absence of water. The reaction with tetraphenylcyclopentadienone differs from the others in that excess carbonyl forms small quantities (5%) of tricarbonyl- π -2,3,4,5-tetraphenylcyclopenta-2-en-1-one chromium and about 1% of tricarbonyl- π -tetraphenylcyclopentadienone chromium. However, in both complexes the ketonic carbonyl frequency lies higher than in the parent ketone so the phenyl substituents are probably used for forming π -bonds with the $\text{Cr}(\text{CO})_3$ moiety.

It is tempting to consider the reducing nature of the above solution as arising from the presence of the unstable $\text{Cr}(\text{CO})_5\text{H}^-$



(2)

anion but there is no evidence for this. The rate of reduction of tetraphenylcyclopentadienone is approximately independent of previous refluxing time and, moreover, the evolution of carbon monoxide from hot solutions of hexacarbonylchromium in both dry and moist isooctane is less than 1% per mole so no appreciable reaction occurs. However, addition of tetraphenylcyclopentadienone or benzoquinone causes a rapid evolution of carbon monoxide which ceases when reduction is complete (3 moles/mole of oxidant). There is also no spectral evidence for chemical change before addition of oxidant. We consider then that reduction proceeds via an unstable π -complex in which the $\text{Cr}(\text{CO})_3$ group is bonded to the central ring with subsequent protonation at the metal atom followed by intramolecular hydrogen transfer. Previous molecular-orbital calculations (3) showed that complexes of the type (tetraphenylcyclopentadienone) $\text{M}(\text{CO})_3$ would be more stable for $\text{M}=\text{Fe}$ than Cr because of the occupation of a vacant and slightly bonding π -orbital in the former; this supports the above scheme for the reduction of this ketone. Detailed studies of the kinetics of these reactions are in progress.

- (1) Sternberg and Wender, Internat. Conf. Coordination Chemistry, Chem. Soc. Special Publ. No. 13, 1959, p. 35.
- (2) Brown, Hargaden and Sloan, above.
- (3) Brown, J. Inorg. Nuclear Chem., 1959, 10, 49.

TECHNICAL REPORT DISTRIBUTION LIST

Contract N62558-2381

NR No 051-417

Commanding Officer Office of Naval Research Branch Office The John Crerar Library Building 86 East Randolph Street Chicago 1, Illinois. (1)	Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command U. S. Army Natick, Mass. (1)
Commanding Officer Office of Naval Research Branch Office 346 Broadway New York 13, New York (1)	Air Force Office of Scientific Research (SRC-E) Washington 25, D.C. (1)
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California (1)	Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D.C. Attn: Technical Information Office Branch 012 (1)
Commanding Officer Office of Naval Research Branch Office Box 39 Navy 100 Fleet Post Office New York, New York (7)	Chief, Bureau of Ships Department of the Navy Washington 25, D.C. Attn: Physical Sciences Division (1)
Director, Naval Research Laboratory Washington 25, D.C. Attn: Technical Information Officer Chemistry Division (6) (2)	Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D.C. Attn: Technical Library (4)
Chief of Naval Research Department of the Navy Washington 25, D.C. Attn: Code 425 (2)	ASTIA Document Service Centre Arlington Hall Station Arlington 12, Virginia (10)
DDR & E Technical Library Room 3C-128, The Pentagon Washington 25, D.C. (1)	Director of Research U.S. Army Signal Research & Development Laboratory Fort Monmouth, New Jersey (1)
Technical Director Research & Engineering Division Office of the Quartermaster General Department of the Army Washington 25, D.C. (1)	Naval Radiological Defense Laboratory San Francisco 24, California Attn: Technical Library (1)

Naval Ordnance Test Station China Lake, California Attn: Head, Chemistry Division (1)	Dr. T.G.Fox, Director of Research Mellon Institute Department of Chemistry Pittsburgh 13, Penn. (1)
Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Attn: Scientific Synthesis Office (1)	Dr. H.S.Gutowsky Department of Chemistry University of Illinois Urbana, Illinois (1)
Brookhaven National Laboratory Chemistry Department Upton, New York (1)	Dr. J.E.Leffler Department of Chemistry Florida State University Tallahassee, Florida (1)
Atomic Energy Division Division of Research Chemistry Programmes Washington 25, D.C. (1)	Dr. W.N.Lipscomb Department of Chemistry Harvard University Cambridge, Mass. (1)
Atomic Energy Commission Division of Technical Information Extension Post Office Box 62 Oak Ridge, Tennessee (1)	Dr. S. Y. Tyree, Jr., Department of Chemistry University of North Carolina Chapel Hill, North Carolina (1)
U.S. Army Chemical Research and Development Laboratories Technical Library Army Chemical Centre, Maryland (1)	Mr. B.R.Stein European Research Office U.S. Army R. & D. Liaison Group 985IDU APO 757 New York, N.Y. (1)
Office of Technical Services Department of Commerce Washington 25, D.C. (1)	Dr. M.J.S. Dewar Department of Chemistry University of Chicago Chicago 37, Illinois (1)
Commanding Officer Office of Naval Research Branch Office 1000 Geary Street San Francisco 9, California Attn: Dr. P. A. Miller (1)	Dr. M.S. Cohen, Chief Propellants Synthesis Section Reaction Motors Division Denville, New Jersey (1)
Dr. G.Barth-Wehrenalp, Director Inorganic Research Department Pennsalt Chemicals Corporation Box 4388 Philadelphia 18, Penn. (2)	Ordnance Corps (ORDBB-T01) Picatinny Arsenal Dover, New Jersey (1)
Dr. A.B.Burg Department of Chemistry University of Southern California Los Angeles 7, California (1)	Monsanto Research Corporation Everett Station Boston 49, Mass. Attn: Mr. K. Warren Easley (1)

Dr. D.C. Bradley
Department of Chemistry
University of Western Ontario
London, Canada (1)

Dr. T.L. Heying
Organics Division
Olin Mathieson Chemical Corporation
275 Winchester Avenue
New Haven, Conn. (1)

Dr. Joyce J. Kaufman
RIAS
7212 Bellona Avenue
Baltimore 12, Maryland (1)

Dr. H.B. Jonasson
Department of Chemistry
Tulane University
New Orleans, Louisiana (1)

Dr. T.D. Parsons
Department of Chemistry
Oregon State College
Corvallis, Oregon (1)

Dr. J.D. Roberts
Department of Chemistry
California Institute of Technology
Pasadena, California (1)